




ledline
7109 930_940



Tira LED monoc. IP65 alta intensidad 24V / IP65 monoch. high power 24V LED strip

| 7109 940 | blanco frío | 600 | 5100 | 24V.dc | 120° | 96W |
|----------|---------------|--------|---------|--------|----------|-----|
| 7109 930 | blanco cálido | 600 | 4080 | 24V.dc | 120° | 96W |
| code | color | LED N° | flux lm | V | b. angle | W |


Equipos de alimentación*/drivers

| | | | | |
|------------|--------|------|----|-----------|
| 9920135TR | 24V.dc | 35W | si | 220x40x21 |
| 9920160TR | 24V.dc | 60W | si | 250x40x21 |
| 99201100TR | 24V.dc | 100W | si | 300x40x21 |
| 99201150TR | 24V.dc | 150W | si | 280x64x31 |
| 99201240TR | 24V.dc | 240W | si | 244x71x38 |
| 99201320TR | 24V.dc | 320W | si | 252x90x44 |

Versiones DALI/Pulsador

| | | | | |
|----------------|--------|------|----|-----------|
| 99201035TR-RDI | 24V.dc | 35W | si | 195x43x30 |
| 99201060TR-RDI | 24V.dc | 60W | si | 225x43x21 |
| 99201100TR-RDI | 24V.dc | 100W | si | 295x43x30 |
| 99201150TR-RDI | 24V.dc | 150W | si | 325x43x30 |

| code | V | W | act.pow.fact. | driver(mm) |
|------|---|---|---------------|------------|
|------|---|---|---------------|------------|



ledline

7087



ledline

7211



en la imagen_in the picture



| ledline
7109 930_940



ledline



7122

ledline




7211

smooth



8052

en la imagen_in the picture



ledline
7109 930_940



ledline



7122

ledline



7211

cardanLED70



2010

en la imagen_in the picture



ledline



7123

ledline



7211

en la imagen_in the picture