





sie7e  
**7840** 960\_961\_962



7840 960 314	10W.	1.900	190lm/W.	spot	3.000
7840 960 324	10W.	1.900	190lm/W.	medium	3.000
7840 960 338	10W.	1.900	190lm/W.	flood	3.000
7840 960 414	10W.	2.000	200lm/W.	spot	4.000
7840 960 424	10W.	2.000	200lm/W.	medium	4.000
7840 960 438	10W.	2.000	200lm/W.	flood	4.000
7840 961 314	19W.	2.600	137lm/W.	spot	3.000
7840 961 324	19W.	2.600	137lm/W.	medium	3.000
7840 961 338	19W.	2.600	137lm/W.	flood	3.000
7840 961 414	19W.	2.750	145lm/W.	spot	4.000
7840 961 424	19W.	2.750	145lm/W.	medium	4.000
7840 961 438	19W.	2.750	145lm/W.	flood	4.000
7840 962 314	25W.	3.500	140lm/W.	spot	3.000
7840 962 324	25W.	3.500	140lm/W.	medium	3.000
7840 962 338	25W.	3.500	140lm/W.	flood	3.000
7840 962 414	25W.	3.650	146lm/W.	spot	4.000
7840 962 424	25W.	3.650	146lm/W.	medium	4.000
7840 962 438	25W.	3.650	146lm/W.	flood	4.000



colores\_colors



materiales\_materials

aluminio inyectado  
y acero  
die cast aluminium  
and steel

pedido\_order

7840	960	4	14	8
code	10,3W	°K	beam angle	color



sie7e

7171



en la imagen\_in the picture



| sie7e  
**7840** 960\_961\_962


sie7e



**7175**



en la imagen\_in the picture



| sie7e  
**7840** 960\_961\_962

sie7e

**7139**



en la imagen\_in the picture